MOLOKAI IRRIGATION SYSTEM WATER USER ADVISOR BOARD

MINUTES

Date: September 25, 2018

- Called to Order by Chairman, Colette Augustiro at 10:05 a.m. Board Member present: Colette Augustiro, Noelani Joy, and Gene Ross Davis. (No Quorum) Guest: Glenn Okamoto, and Bruce Arakawa.
- 2. Submitted Agenda. No Quorum
- 3. Approval of Minutes
 - a. Submitted minutes of March 7, 2018 by Noelani Joy.
- 4. Status of Filling M.I.S. position:
 - a. Announced Irrigation System 2, no one applied to date
- 5. Old Business:
 - A. System Update by Bruce Arakawa.
 - 1. Kualapuu Reservoir water level September 25, 2018: 41.00 feet
 - 2. Level same time last year: 30.50 feet
 - 3. West Portal average flow: 5.200 mgd
 - 4. Reservoir daily outflow: 4.210 mgd
 - 5. Molokai Ranch Well 17 average inflow: 0.00 mgd
 - 6. Molokai Ranch balance stored 14.621 million gallons Molokai Ranch not pumping in or taking out.
 - 7. Molokai Ranch daily average outflow: 0.00 mgd
 - 8. Molokai Ranch Red Hill inflow: 0.00 mgd
 - Monthly Report:
 Field assistance not related to meter:
 - a. Quarter Report: January to March 2018
 - 1. Days without planned water delivery 0
 - 2. Days of water restriction of homesteader 0
 - 3. Days of water restriction for non-homesteader 0
 - 4. Days without accidents or injuries 25+
 - 5. Change in revenue and operating cost Mycogen leaving
 - b. Semi-Annual Report Period July to December
 - 1. Meters installed for homesteaders 0
 - 2. Meters installed for non-homesteader 0
 - 3. Meters repaired or replaced
 - 4. Average time between request for Service and completion of service 1 to 2 months plus

0

c. Annual Report Fiscal Year July 2017 to June 2018

1, Number of capital improvement project complete 0

2. Number and type of CIP in progress 4

- B. Capital Improvements
 - a. 1. Telemetry:
 - Final inspection 8/1/2018 Punchlist Unknown if complete punch list
 - b. Hydro power: No change
 - c. Arc Flash;

Final inspection complete 8/1/2018 Final paper work needed

- d. Walkway bridge: Consultant estimated \$9.1 million Landslide, diversion dam undermined Access bridge replaced or refurbished
- C. Board Representative No change
- D. Status of Vacancies: No change
- 6. Next meeting October 23, 2018
- 7. Adjournment 10:30 a.m.

Respectfully submitted,

Wilma Noelani Joy