

Fluxapyroxad	Group	7	Fungicide
Pyraclostrobin	Group	11	Fungicide

## Supplemental Label

# Priaxor<sup>®</sup>

## Xemium<sup>®</sup> Brand Fungicide

### For disease control and plant health in coffee

This supplemental label expires August 30, 2026, and must not be used or distributed after this date.

#### Powered by Xemium<sup>®</sup> and F500<sup>®</sup> fungicides

##### Active Ingredients:

fluxapyroxad*: 1 <i>H</i> -Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)- .....	14.33%
pyraclostrobin**: (carbamic acid, [2-[[[1-(4-chlorophenyl)-1 <i>H</i> -pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester) .....	28.58%

**Other Ingredients:**..... 57.09%

**Total:** ..... 100.00%

\* Equivalent to 1.39 pounds of fluxapyroxad per gallon

\*\* Equivalent to 2.78 pounds of pyraclostrobin per gallon

**EPA Reg. No. 7969-311**

**CAUTION/PRECAUCION**

### Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Priaxor<sup>®</sup> Xemium<sup>®</sup> brand fungicide** container label, EPA Reg. No. 7969-311, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Priaxor** before applying.
- Use of **Priaxor** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Priaxor**.

### Personal Protective Equipment (PPE)

#### Applicators and handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves (nitrile rubber ≥ 14 mils, butyl rubber or neoprene rubber ≥ 14 mils, polyvinyl chloride (PVC) ≥ 14 mils, Viton ≥ 14 mils or barrier laminate gloves)

### Use Restrictions and Limitations

- **Chemigation: DO NOT** apply this product to coffee through any type of irrigation system.
- **Aerial: DO NOT** apply this product to coffee by helicopter, plane, or drone.

**Table 1. Priaxor® Xemium® brand fungicide Restrictions and Limitations**

Crop	Maximum Product Rate per Application (fl ozs/A)	Maximum Number of Applications per Year	Maximum Number of Sequential Applications	Maximum Product Rate per Year (fl ozs/A)	Minimum Time from Application to Harvest (PHI) (days)
Coffee	7.14	2	2	14.28	45

\* See Table 2. Crop-specific Directions: Foliar Applications for additional directions.

**Table 2. Crop-specific Directions: Foliar Applications**

Crop	Target Disease	Product Use Rate per Application (fl ozs/A)	Maximum Number of Applications per Year	Maximum Product Rate per Year (fl ozs/A)	Minimum Time from Application to Harvest (PHI) (days)
Coffee	Coffee leaf rust ( <i>Hemileia vastatrix</i> )	7.14	2	14.28	45

**Application Instructions.** For optimal disease control, begin foliar applications of **Priaxor** to **coffee trees** prior to onset of disease development and as part of a coffee rust management program.

**Priaxor** may be applied to **field-grown coffee trees only**.

Apply **Priaxor** with sufficient water volume at a minimum of 20 gallons per acre to provide uniform and thorough coverage of foliage. Adjust to a higher GPA according to plant size and application equipment. Thorough plant coverage is required to maximize the effectiveness of **Priaxor**.

Maintain a 25-foot buffer between point of application and the edge of the field.

Maintain a vegetative buffer strip between where the product is applied and the down-slope edge of the field to reduced potential runoff.

User must turn off outward pointing nozzles at the application point 25 feet from the edge of the field.

Sprays must be directed into the canopy.

Mechanically pressurized backpack sprayer applications may be used.

**Adjuvants and Other Additives**

**Priaxor** can only be mixed with nonionic and organosilicone (OS) surfactants at their lowest label rate up to 0.125%.

**Restrictions**

The minimum retreatment interval is 30 days.

**DO NOT** apply this product to coffee through any type of irrigation system.

**DO NOT** apply this product to coffee by helicopter, plane, or drone.

**DO NOT** use **handheld/portable fogger/mister**. For backpack sprayer applications, refer to PPE requirements under **Precautionary Statements**.

**DO NOT** mix **Priaxor** with the following products:

- Emulsifiable concentrate (EC) formulation or solvent-based formulation products.
- Crop oil concentrate (COC), methylated seed oil (MSO), or MSO/OS blended adjuvant products.

**DO NOT** apply more than 7.14 fl ozs (0.078 lb fluxapyroxad and 0.156 lb pyraclostrobin) per acre per application.

**DO NOT** apply more than 14.28 fl ozs (0.156 lb fluxapyroxad and 0.310 lb pyraclostrobin) per acre per year.

**DO NOT** apply more than two (2) sequential applications of **Priaxor** before alternating to a labeled **non-Group 7** or **non-Group 11** fungicide.

## Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

*F500, Priaxor, and Xemium are registered trademarks of BASF.*

© 2023 BASF Corporation  
All rights reserved.

007969-00311.20211116c.NVA 2021-04-372-0195

BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709

  
We create chemistry